



GAULIN MODEL 3500 MC45 2.5TPS S.S. CLAD HOMOGENIZER S/N 8766873 - 2,500 PSI TAPERED POPPET SEAT CYLINDER, TWO STAGE HVA VALVE ASSEMBLY, MIN. CAPACITY 2,100 GPH, MAX. CAPACITY 5,400 GPH AT 2,500 PSI, OR MIN. CAPACITY 2,400 GPH, MAX. CAPACITY 6,000 GPH AT 2,000 PSI, 3 1/2" PLUNGER DIA.



MUELLER MODEL SVW 30,000 GALLON REFRIGERATED VERTICAL SILO TYPE STORAGE TANK S/N 36991-2 - AIR AGITATION ONLY, S.S. ALCOVE (60" X 60" X 22"), CIP & VENT LINES, SPRAY DEVICE, 3" TRI-CLAMP OUTLET, 3/4" AND 1 1/4" THERMOWELL, LIQUID LEVEL SHELL ONLY, 265 SQ. FT. 150 PSI COLDWALL FOR FREON, 144 1/2" DIA. X 515" OAHT



WALKER MODEL HHT4605R 6,000 GALLON REFRIGERATED HORIZONTAL CYL. STORAGE TANK S/N 10331 - S.S. FRONT HEAD, (2) VERTICAL AGITATORS, (2) DOUBLE

SPRAYBALLS, 2" CLAMP OUTLET, (1 EA.) 3/4" AND 1 1/4" THERMOWELLS, KING LIQUID LEVEL SHELL ONLY, 60 SQ. FT AMMONIA COLDWALL RATED FOR 150 PSI, 90" DIA X 300" OAL, VERY MINOR INTERIOR SIDEWALL DISTORTION.



FOGG MODEL FG2810RH 28 VALVE LIGHTWEIGHT PLASTIC ROTARY GALLON JUG FILLER S/N 563-49-8-9 FC2810RH - COMPLETE WITH 10 STATION ROTARY 38MM SCREW CAP SYSTEM, CONTROL PANEL, LIQUID LEVEL CONTROL, 86" W x 125" L x 104" H, ALL IN EXCELLENT CONDITION.



CHERRY BURRELL 200 GALLON S.S. PRESSURE WALL PROCESSING VAT S/N UNKNOWN - BRIDGE AND COVER TOP, SLOPE BOTTOM, SWEEP AGITATOR, BAFFLE, SPRAYBALL, 1 1/2" INLET, 1 1/2" #15 OUTLET, 2" #15 THERMOWELL, 2" #15 PORT NEAR

OUTLET, SIDE AND BOTTOM HEAT EXCHANGE ZONES, 51" DIA. X 67" OAHT, S.S.
BOTTOM, MILD STEEL LEGS W/ ADJUSTABLE BALL FEET.



APV MODEL R51 S.S. HEAT EXCHANGER FRAME S/N 18778 - 3" CLAMP PORTS, SIZE 6
FRAME.